

Washington State HIV/AIDS Surveillance Report - 07/31/2003
Washington State Department of Health

Table 1. WASHINGTON STATE HIV¹ and AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING

	TOTAL CASES (& CASE FATALITY RATE ²) DIAGNOSED DURING INTERVAL ³					DEATHS OCCURRING DURING INTERVAL ⁴		CASES PRESUMED LIVING DIAGNOSED DURING INTERVAL ³		
	HIV ¹		AIDS		HIV/AIDS Total	HIV ¹		AIDS		HIV/AIDS Total
	No.	(%)	No.	(%)		No.	No.	No.	No.	
1982	1	(0%)	1	(100%)	2	0	0	1	0	1
1983	6	(17%)	20	(100%)	26	0	7	5	0	5
1984	13	(0%)	79	(97%)	92	0	31	13	2	15
1985	72	(6%)	132	(97%)	204	0	81	68	4	72
1986	63	(11%)	250	(97%)	313	0	128	56	7	63
1987	75	(11%)	370	(96%)	445	2	187	67	16	83
1988	84	(10%)	497	(93%)	581	6	240	76	35	111
1989	126	(10%)	629	(91%)	755	8	311	113	59	172
1990	144	(10%)	759	(88%)	903	6	378	130	88	218
1991	164	(5%)	856	(85%)	1,020	4	477	155	127	282
1992	147	(6%)	923	(75%)	1,070	7	530	138	233	371
1993	133	(4%)	997	(64%)	1,130	12	644	128	356	484
1994	179	(3%)	893	(51%)	1,072	4	683	174	435	609
1995	196	(2%)	790	(33%)	986	4	676	193	528	721
1996	231	(1%)	713	(22%)	944	3	473	228	558	786
1997	237	(3%)	532	(16%)	769	6	220	230	446	676
1998	226	(2%)	413	(17%)	639	3	154	221	341	562
1999	295	(2%)	373	(17%)	668	4	140	290	311	601
2000	373	(1%)	450	(15%)	823	22	154	368	384	752
2001	335	(1%)	406	(10%)	741	12	128	333	364	697
2002 ⁵	326	(1%)	410	(5%)	736	8	120	324	390	714
2003 YTD ⁵	131	(0%)	137	(4%)	268	4	52	131	132	263
TOTAL	3,557	(3%)	10,630	(55%)	14,187	115	5,814	3,442	4,816	8,258

Table 2. WASHINGTON STATE HIV¹ AND AIDS CASES, GENDER BY AGE AT DIAGNOSIS

	HIV ¹						AIDS					
	Male		Female		Total		Male		Female		Total	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
Under 13	17	(0%)	19	(1%)	36	(1%)	15	(0%)	17	(0%)	32	(0%)
13-19	53	(1%)	38	(1%)	91	(3%)	29	(0%)	11	(0%)	40	(0%)
20-29	1,006	(28%)	195	(5%)	1,201	(34%)	1,614	(15%)	209	(2%)	1,823	(17%)
30-39	1,279	(36%)	165	(5%)	1,444	(41%)	4,598	(43%)	354	(3%)	4,952	(47%)
40-49	537	(15%)	89	(3%)	626	(18%)	2,540	(24%)	186	(2%)	2,726	(26%)
50-59	119	(3%)	24	(1%)	143	(4%)	735	(7%)	66	(1%)	801	(8%)
60+	13	(0%)	3	(0%)	16	(0%)	227	(2%)	29	(0%)	256	(2%)
TOTAL	3,024	(85%)	533	(15%)	3,557	(100%)	9,758	(92%)	872	(8%)	10,630	(100%)

Notes:

- 1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.
- 2 Case fatality rate is the proportion of HIV or AIDS patients diagnosed during interval who are known to have died at some time since diagnosis.
- 3 Year of diagnosis reflects the time at which HIV infection or AIDS was diagnosed by a health care provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.
- 4 Includes deaths among HIV or AIDS patients diagnosed during that interval or any preceding interval.
- 5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

Washington State HIV/AIDS Surveillance Report - 07/31/2003
Washington State Department of Health

Table 3. WASHINGTON STATE HIV¹ CASES, RACE/ETHNICITY¹⁰ AND EXPOSURE CATEGORY

	<u>Adult/Adolescent</u>				<u>Pediatric</u>		<u>Total</u>	
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity¹⁰</u>								
White, not Hispanic	2337	(78%)	269	(52%)	13	(36%)	2619	(74%)
Black, not Hispanic	329	(11%)	160	(31%)	13	(36%)	502	(14%)
Hispanic (All Races)	221	(7%)	44	(9%)	6	(17%)	271	(8%)
Asian/Pacific Islander	3	(0%)	4	(1%)	0	(0%)	7	(0%)
Asian	57	(2%)	10	(2%)	4	(11%)	71	(2%)
Hawaiian/Pacific Islander	4	(0%)	1	(0%)	0	(0%)	5	(0%)
Native American/Alaskan	31	(1%)	21	(4%)	0	(0%)	52	(1%)
Multi-race	5	(0%)	0	(0%)	0	(0%)	5	(0%)
Unknown	20	(1%)	5	(1%)	0	(0%)	25	(1%)
Total	3007	(100%)	514	(100%)	36	(100%)	3557	(100%)
<u>Exposure Category</u>								
Male/male sex (MSM)	2205	(73%)	N/A	()	0	(0%)	2205	(62%)
Injecting Drug Use (IDU)	228	(8%)	137	(27%)	0	(0%)	365	(10%)
MSM and IDU	303	(10%)	N/A	()	0	(0%)	303	(9%)
Transfusion/Transplant	5	(0%)	8	(2%)	0	(0%)	13	(0%)
Hemophilia	11	(0%)	2	(0%)	1	(3%)	14	(0%)
Heterosexual Contact ⁶	95	(3%)	255	(50%)	0	(0%)	350	(10%)
Mother at Risk for HIV	0	(0%)	0	(0%)	33	(92%)	33	(1%)
No Identified Risk ⁷ /Other	160	(5%)	112	(22%)	2	(6%)	274	(8%)
Total	3007	(100%)	514	(100%)	36	(100%)	3557	(100%)

Table 4. WASHINGTON STATE AIDS CASES, RACE/ETHNICITY¹⁰ AND EXPOSURE CATEGORY

	<u>Adult/Adolescent</u>				<u>Pediatric</u>		<u>Total</u>	
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity¹⁰</u>								
White, not Hispanic	7832	(80%)	498	(58%)	16	(50%)	8346	(79%)
Black, not Hispanic	904	(9%)	215	(25%)	10	(31%)	1129	(11%)
Hispanic (All Races)	671	(7%)	73	(9%)	4	(13%)	748	(7%)
Asian/Pacific Islander	34	(0%)	12	(1%)	1	(3%)	47	(0%)
Asian	102	(1%)	11	(1%)	0	(0%)	113	(1%)
Hawaiian/Pacific Islander	18	(0%)	3	(0%)	0	(0%)	21	(0%)
Native American/Alaskan	156	(2%)	39	(5%)	1	(3%)	196	(2%)
Multi-race	15	(0%)	1	(0%)	0	(0%)	16	(0%)
Unknown	11	(0%)	3	(0%)	0	(0%)	14	(0%)
Total	9743	(100%)	855	(100%)	32	(100%)	10630	(100%)
<u>Exposure Category</u>								
Male/male sex (MSM)	7160	(73%)	N/A	()	0	(0%)	7160	(67%)
Injecting Drug Use (IDU)	700	(7%)	259	(30%)	0	(0%)	959	(9%)
MSM and IDU	1058	(11%)	N/A	()	0	(0%)	1058	(10%)
Transfusion/Transplant	74	(1%)	48	(6%)	0	(0%)	122	(1%)
Hemophilia	82	(1%)	3	(0%)	4	(13%)	89	(1%)
Heterosexual Contact ⁶	239	(2%)	425	(50%)	0	(0%)	664	(6%)
Mother at Risk for HIV	0	(0%)	0	(0%)	28	(88%)	28	(0%)
No Identified Risk ⁷ /Other	430	(4%)	120	(14%)	0	(0%)	550	(5%)
Total	9743	(100%)	855	(100%)	32	(100%)	10630	(100%)

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection.

7 No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State HIV/AIDS Surveillance Report - 07/31/2003
Washington State Department of Health

Table 5. WA STATE HIV¹ AND AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING, BY COUNTY OF RESIDENCE⁸ AT DIAGNOSIS

	CASES DIAGNOSED					DEATHS					PRESUMED LIVING				
	HIV ¹		AIDS		TOTAL	HIV ¹		AIDS		TOTAL	HIV ¹		AIDS		TOTAL
	No.	(%)	No.	(%)		No.	(%)	No.	(%)		No.	(%)	No.	(%)	
REGION 1	151	(4.2%)	594	(5.6%)	745	8	(7.0%)	312	(5.4%)		143	(4.2%)	282	(5.9%)	425
ADAMS CO.	1	(0.0%)	5	(0.0%)	6	0	(0.0%)	1	(0.0%)		1	(0.0%)	4	(0.1%)	5
ASOTIN CO.	3	(0.1%)	14	(0.1%)	17	1	(0.9%)	6	(0.1%)		2	(0.1%)	8	(0.2%)	10
COLUMBIA CO.	1	(0.0%)	3	(0.0%)	4	0	(0.0%)	3	(0.1%)		1	(0.0%)	0	(0.0%)	1
FERRY CO.	0	(0.0%)	7	(0.1%)	7	0	(0.0%)	6	(0.1%)		0	(0.0%)	1	(0.0%)	1
GARFIELD CO.	0	(0.0%)	0	(0.0%)	0	0	(0.0%)	0	(0.0%)		0	(0.0%)	0	(0.0%)	0
LINCOLN CO.	0	(0.0%)	4	(0.0%)	4	0	(0.0%)	2	(0.0%)		0	(0.0%)	2	(0.0%)	2
OKANOGAN CO.	7	(0.2%)	21	(0.2%)	28	0	(0.0%)	8	(0.1%)		7	(0.2%)	13	(0.3%)	20
PEND OREILLE CO.	1	(0.0%)	8	(0.1%)	9	0	(0.0%)	5	(0.1%)		1	(0.0%)	3	(0.1%)	4
SPOKANE CO.	126	(3.5%)	443	(4.2%)	569	6	(5.2%)	241	(4.1%)		120	(3.5%)	202	(4.2%)	322
STEVENS CO.	3	(0.1%)	22	(0.2%)	25	0	(0.0%)	7	(0.1%)		3	(0.1%)	15	(0.3%)	18
WALLA WALLA CO.	7	(0.2%)	57	(0.5%)	64	1	(0.9%)	29	(0.5%)		6	(0.2%)	28	(0.6%)	34
WHITMAN CO.	2	(0.1%)	10	(0.1%)	12	0	(0.0%)	4	(0.1%)		2	(0.1%)	6	(0.1%)	8
REGION 2	111	(3.1%)	348	(3.3%)	459	5	(4.3%)	173	(3.0%)		106	(3.1%)	175	(3.6%)	281
BENTON CO.	21	(0.6%)	77	(0.7%)	98	1	(0.9%)	32	(0.6%)		20	(0.6%)	45	(0.9%)	65
CHELAN CO.	11	(0.3%)	33	(0.3%)	44	0	(0.0%)	20	(0.3%)		11	(0.3%)	13	(0.3%)	24
DOUGLAS CO.	2	(0.1%)	2	(0.0%)	4	0	(0.0%)	2	(0.0%)		2	(0.1%)	0	(0.0%)	2
FRANKLIN CO.	17	(0.5%)	36	(0.3%)	53	0	(0.0%)	12	(0.2%)		17	(0.5%)	24	(0.5%)	41
GRANT CO.	7	(0.2%)	28	(0.3%)	35	1	(0.9%)	19	(0.3%)		6	(0.2%)	9	(0.2%)	15
KITTITAS CO.	2	(0.1%)	14	(0.1%)	16	0	(0.0%)	9	(0.2%)		2	(0.1%)	5	(0.1%)	7
Klickitat CO.	3	(0.1%)	11	(0.1%)	14	0	(0.0%)	8	(0.1%)		3	(0.1%)	3	(0.1%)	6
YAKIMA CO.	48	(1.3%)	147	(1.4%)	195	3	(2.6%)	71	(1.2%)		45	(1.3%)	76	(1.6%)	121
REGION 3	275	(7.7%)	836	(7.9%)	1,111	10	(8.7%)	433	(7.4%)		265	(7.7%)	403	(8.4%)	668
ISLAND CO.	15	(0.4%)	57	(0.5%)	72	1	(0.9%)	34	(0.6%)		14	(0.4%)	23	(0.5%)	37
SAN JUAN CO.	6	(0.2%)	18	(0.2%)	24	0	(0.0%)	10	(0.2%)		6	(0.2%)	8	(0.2%)	14
SKAGIT CO.	20	(0.6%)	49	(0.5%)	69	1	(0.9%)	27	(0.5%)		19	(0.6%)	22	(0.5%)	41
SNOHOMISH CO.	194	(5.5%)	563	(5.3%)	757	7	(6.1%)	288	(5.0%)		187	(5.4%)	275	(5.7%)	462
WHATCOM CO.	40	(1.1%)	149	(1.4%)	189	1	(0.9%)	74	(1.3%)		39	(1.1%)	75	(1.6%)	114
REGION 5	385	(10.8%)	1,147	(10.8%)	1,532	21	(18.3%)	611	(10.5%)		364	(10.6%)	536	(11.1%)	900
KITSAP CO.	64	(1.8%)	190	(1.8%)	254	1	(0.9%)	104	(1.8%)		63	(1.8%)	86	(1.8%)	149
PIERCE CO.	321	(9.0%)	957	(9.0%)	1,278	20	(17.4%)	507	(8.7%)		301	(8.7%)	450	(9.3%)	751
REGION 6	262	(7.4%)	894	(8.4%)	1,156	9	(7.8%)	439	(7.6%)		253	(7.4%)	455	(9.4%)	708
CLALLAM CO.	16	(0.4%)	50	(0.5%)	66	2	(1.7%)	25	(0.4%)		14	(0.4%)	25	(0.5%)	39
CLARK CO.	113	(3.2%)	393	(3.7%)	506	1	(0.9%)	195	(3.4%)		112	(3.3%)	198	(4.1%)	310
COWLITZ CO.	30	(0.8%)	89	(0.8%)	119	1	(0.9%)	48	(0.8%)		29	(0.8%)	41	(0.9%)	70
GRAYS HARBOR CO.	11	(0.3%)	46	(0.4%)	57	1	(0.9%)	24	(0.4%)		10	(0.3%)	22	(0.5%)	32
JEFFERSON CO.	8	(0.2%)	24	(0.2%)	32	2	(1.7%)	14	(0.2%)		6	(0.2%)	10	(0.2%)	16
LEWIS CO.	8	(0.2%)	39	(0.4%)	47	0	(0.0%)	26	(0.4%)		8	(0.2%)	13	(0.3%)	21
MASON CO.	17	(0.5%)	67	(0.6%)	84	0	(0.0%)	18	(0.3%)		17	(0.5%)	49	(1.0%)	66
PACIFIC CO.	3	(0.1%)	17	(0.2%)	20	0	(0.0%)	11	(0.2%)		3	(0.1%)	6	(0.1%)	9
SKAMANIA CO.	0	(0.0%)	7	(0.1%)	7	0	(0.0%)	5	(0.1%)		0	(0.0%)	2	(0.0%)	2
THURSTON CO.	55	(1.5%)	160	(1.5%)	215	2	(1.7%)	73	(1.3%)		53	(1.5%)	87	(1.8%)	140
WAHKIAKUM CO.	1	(0.0%)	2	(0.0%)	3	0	(0.0%)	0	(0.0%)		1	(0.0%)	2	(0.0%)	3
SUBTOTAL	1,184	(33.3%)	3,819	(35.9%)	5,003	53	(46.1%)	1,968	(33.8%)		1,131	(32.9%)	1,851	(38.4%)	2,982
REGION 4 (KING CO.)	2,373	(66.7%)	6,811	(64.1%)	9,184	62	(53.9%)	3,846	(66.2%)		2,311	(67.1%)	2,965	(61.6%)	5,276
STATE TOTAL	3,557	(100%)	10,630	(100%)	14,187	115	(100%)	5,814	(100%)		3,442	(100%)	4,816	(100%)	8,258

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

8 County of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

Washington State HIV/AIDS Surveillance Report - 07/31/2003

Table 6. WASHINGTON STATE HIV¹ CASES, YEAR OF DIAGNOSIS³ BY GENDER, RACE/ETHNICITY¹⁰, EXPOSURE CATEGORY, AND AIDSNET REGION OF RESIDENCE⁹ AT DIAGNOSIS

	1982-1989		1990-1997		1998-Current ⁵		Cumulative		1999		2000		2001		2002 ⁵		2003 ⁵	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
Gender																		
Male	404	(92%)	1199	(84%)	1421	(84%)	3024	(85%)	249	(84%)	305	(82%)	286	(85%)	275	(84%)	107	(82%)
Female	36	(8%)	232	(16%)	265	(16%)	533	(15%)	46	(16%)	68	(18%)	49	(15%)	51	(16%)	24	(18%)
Total	440	(100%)	1431	(100%)	1686	(100%)	3557	(100%)	295	(100%)	373	(100%)	335	(100%)	326	(100%)	131	(100%)
Race/Ethnicity¹⁰																		
White, not Hispanic	371	(84%)	1109	(77%)	1139	(68%)	2619	(74%)	214	(73%)	241	(65%)	220	(66%)	208	(64%)	88	(67%)
Black, not Hispanic	42	(10%)	171	(12%)	289	(17%)	502	(14%)	40	(14%)	69	(18%)	58	(17%)	72	(22%)	24	(18%)
Hispanic (All Races)	13	(3%)	93	(6%)	165	(10%)	271	(8%)	27	(9%)	40	(11%)	37	(11%)	29	(9%)	13	(10%)
Asian/Pacific Islander	0	(0%)	1	(0%)	6	(0%)	7	(0%)	1	(0%)	2	(1%)	2	(1%)	0	(0%)	0	(0%)
Asian	4	(1%)	25	(2%)	42	(2%)	71	(2%)	4	(1%)	10	(3%)	10	(3%)	7	(2%)	2	(2%)
Hawaiian/Pacific Islander	1	(0%)	1	(0%)	3	(0%)	5	(0%)	1	(0%)	1	(0%)	0	(0%)	0	(0%)	1	(1%)
Native American/Alaskan	6	(1%)	22	(2%)	24	(1%)	52	(1%)	4	(1%)	6	(2%)	5	(1%)	5	(2%)	2	(2%)
Multi-race	0	(0%)	1	(0%)	4	(0%)	5	(0%)	0	(0%)	0	(0%)	0	(0%)	3	(1%)	1	(1%)
Unknown	3	(1%)	8	(1%)	14	(1%)	25	(1%)	4	(1%)	4	(1%)	3	(1%)	2	(1%)	0	(0%)
Total	440	(100%)	1431	(100%)	1686	(100%)	3557	(100%)	295	(100%)	373	(100%)	335	(100%)	326	(100%)	131	(100%)
Exposure Category																		
Male/male sex (MSM)	300	(68%)	872	(61%)	1033	(61%)	2205	(62%)	197	(67%)	206	(55%)	195	(58%)	199	(61%)	82	(63%)
Injecting Drug Use (IDU)	47	(11%)	150	(10%)	168	(10%)	365	(10%)	32	(11%)	50	(13%)	29	(9%)	35	(11%)	9	(7%)
MSM and IDU	51	(12%)	128	(9%)	124	(7%)	303	(9%)	21	(7%)	27	(7%)	25	(7%)	27	(8%)	7	(5%)
Transfusion/Transplant	3	(1%)	6	(0%)	4	(0%)	13	(0%)	1	(0%)	1	(0%)	2	(1%)	0	(0%)	0	(0%)
Hemophilia	8	(2%)	4	(0%)	2	(0%)	14	(0%)	0	(0%)	1	(0%)	1	(0%)	0	(0%)	0	(0%)
Heterosexual Contact ⁶	13	(3%)	143	(10%)	194	(12%)	350	(10%)	28	(9%)	47	(13%)	45	(13%)	40	(12%)	17	(13%)
Mother at Risk for HIV	3	(1%)	25	(2%)	5	(0%)	33	(1%)	3	(1%)	2	(1%)	0	(0%)	0	(0%)	0	(0%)
No Identified Risk ⁷ /Other	15	(3%)	103	(7%)	156	(9%)	274	(8%)	13	(4%)	39	(10%)	38	(11%)	25	(8%)	16	(12%)
Total	440	(100%)	1431	(100%)	1686	(100%)	3557	(100%)	295	(100%)	373	(100%)	335	(100%)	326	(100%)	131	(100%)
AIDSNET Region																		
Region 1	22	(5%)	58	(4%)	71	(4%)	151	(4%)	8	(3%)	18	(5%)	17	(5%)	15	(5%)	3	(2%)
Region 2	11	(3%)	40	(3%)	60	(4%)	111	(3%)	13	(4%)	11	(3%)	10	(3%)	16	(5%)	3	(2%)
Region 3	34	(8%)	128	(9%)	113	(7%)	275	(8%)	25	(8%)	21	(6%)	24	(7%)	19	(6%)	10	(8%)
Region 5	38	(9%)	169	(12%)	178	(11%)	385	(11%)	36	(12%)	49	(13%)	30	(9%)	36	(11%)	15	(11%)
Region 6	27	(6%)	120	(8%)	115	(7%)	262	(7%)	24	(8%)	16	(4%)	29	(9%)	24	(7%)	11	(8%)
Subtotal	132	(30%)	515	(36%)	537	(32%)	1184	(33%)	106	(36%)	115	(31%)	110	(33%)	110	(34%)	42	(32%)
Region 4 (King Co.)	308	(70%)	916	(64%)	1149	(68%)	2373	(67%)	189	(64%)	258	(69%)	225	(67%)	216	(66%)	89	(68%)
Total	440	(100%)	1431	(100%)	1686	(100%)	3557	(100%)	295	(100%)	373	(100%)	335	(100%)	326	(100%)	131	(100%)

Notes:

- This includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. It does not include those who have only been tested anonymously for HIV.
- Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.
- Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.
- Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection.
- No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.
- AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.
- Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State Department of Health
IDRH Assessment Unit
P.O. Box 47838 -- Olympia, WA 98504-7838
(360) 236-3455

Washington State HIV/AIDS Surveillance Report - 07/31/2003

Table 7. WASHINGTON STATE AIDS CASES, YEAR OF DIAGNOSIS³ BY GENDER, RACE/ETHNICITY¹⁰, EXPOSURE CATEGORY, AND AIDSNET REGION OF RESIDENCE⁹ AT DIAGNOSIS

	1982-1989		1990-1997		1998-Current ⁵		Cumulative		1999		2000		2001		2002 ⁵		2003 ⁵	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
Gender																		
Male	1914	(97%)	5950	(92%)	1894	(87%)	9758	(92%)	323	(87%)	384	(85%)	358	(88%)	342	(83%)	118	(86%)
Female	64	(3%)	513	(8%)	295	(13%)	872	(8%)	50	(13%)	66	(15%)	48	(12%)	68	(17%)	19	(14%)
Total	1978	(100%)	6463	(100%)	2189	(100%)	10630	(100%)	373	(100%)	450	(100%)	406	(100%)	410	(100%)	137	(100%)
Race/Ethnicity¹⁰																		
White, not Hispanic	1734	(88%)	5137	(79%)	1475	(67%)	8346	(79%)	264	(71%)	303	(67%)	268	(66%)	262	(64%)	97	(71%)
Black, not Hispanic	131	(7%)	640	(10%)	358	(16%)	1129	(11%)	47	(13%)	84	(19%)	73	(18%)	76	(19%)	12	(9%)
Hispanic (All Races)	78	(4%)	434	(7%)	236	(11%)	748	(7%)	44	(12%)	45	(10%)	44	(11%)	43	(10%)	17	(12%)
Asian/Pacific Islander	3	(0%)	32	(0%)	12	(1%)	47	(0%)	4	(1%)	0	(0%)	3	(1%)	4	(1%)	1	(1%)
Asian	11	(1%)	69	(1%)	33	(2%)	113	(1%)	4	(1%)	3	(1%)	5	(1%)	11	(3%)	3	(2%)
Hawaiian/Pacific Islander	5	(0%)	9	(0%)	7	(0%)	21	(0%)	0	(0%)	3	(1%)	0	(0%)	2	(0%)	2	(1%)
Native American/Alaskan	16	(1%)	124	(2%)	56	(3%)	196	(2%)	8	(2%)	8	(2%)	11	(3%)	11	(3%)	5	(4%)
Multi-race	0	(0%)	14	(0%)	2	(0%)	16	(0%)	0	(0%)	1	(0%)	0	(0%)	0	(0%)	0	(0%)
Unknown	0	(0%)	4	(0%)	10	(0%)	14	(0%)	2	(1%)	3	(1%)	2	(0%)	1	(0%)	0	(0%)
Total	1978	(100%)	6463	(100%)	2189	(100%)	10630	(100%)	373	(100%)	450	(100%)	406	(100%)	410	(100%)	137	(100%)
Exposure Category																		
Male/male sex (MSM)	1521	(77%)	4402	(68%)	1237	(57%)	7160	(67%)	208	(56%)	257	(57%)	235	(58%)	220	(54%)	81	(59%)
Injecting Drug Use (IDU)	85	(4%)	610	(9%)	264	(12%)	959	(9%)	48	(13%)	58	(13%)	44	(11%)	44	(11%)	11	(8%)
MSM and IDU	236	(12%)	640	(10%)	182	(8%)	1058	(10%)	35	(9%)	33	(7%)	36	(9%)	36	(9%)	6	(4%)
Transfusion/Transplant	47	(2%)	66	(1%)	9	(0%)	122	(1%)	2	(1%)	3	(1%)	0	(0%)	1	(0%)	0	(0%)
Hemophilia	30	(2%)	53	(1%)	6	(0%)	89	(1%)	2	(1%)	3	(1%)	1	(0%)	0	(0%)	0	(0%)
Heterosexual Contact ⁶	29	(1%)	385	(6%)	250	(11%)	664	(6%)	37	(10%)	51	(11%)	51	(13%)	63	(15%)	15	(11%)
Mother at Risk for HIV	8	(0%)	18	(0%)	2	(0%)	28	(0%)	0	(0%)	2	(0%)	0	(0%)	0	(0%)	0	(0%)
No Identified Risk ⁷ /Other	22	(1%)	289	(4%)	239	(11%)	550	(5%)	41	(11%)	43	(10%)	39	(10%)	46	(11%)	24	(18%)
Total	1978	(100%)	6463	(100%)	2189	(100%)	10630	(100%)	373	(100%)	450	(100%)	406	(100%)	410	(100%)	137	(100%)
AIDSNET Region																		
Region 1	80	(4%)	367	(6%)	147	(7%)	594	(6%)	33	(9%)	33	(7%)	21	(5%)	32	(8%)	11	(8%)
Region 2	49	(2%)	202	(3%)	97	(4%)	348	(3%)	14	(4%)	19	(4%)	18	(4%)	15	(4%)	10	(7%)
Region 3	113	(6%)	534	(8%)	189	(9%)	836	(8%)	33	(9%)	28	(6%)	31	(8%)	41	(10%)	14	(10%)
Region 5	173	(9%)	676	(10%)	298	(14%)	1147	(11%)	56	(15%)	72	(16%)	60	(15%)	40	(10%)	20	(15%)
Region 6	111	(6%)	568	(9%)	215	(10%)	894	(8%)	39	(10%)	34	(8%)	52	(13%)	46	(11%)	14	(10%)
Subtotal	526	(27%)	2347	(36%)	946	(43%)	3819	(36%)	175	(47%)	186	(41%)	182	(45%)	174	(42%)	69	(50%)
Region 4 (King Co.)	1452	(73%)	4116	(64%)	1243	(57%)	6811	(64%)	198	(53%)	264	(59%)	224	(55%)	236	(58%)	68	(50%)
Total	1978	(100%)	6463	(100%)	2189	(100%)	10630	(100%)	373	(100%)	450	(100%)	406	(100%)	410	(100%)	137	(100%)

Notes:

3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection.

7 No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State Department of Health
IDRH Assessment Unit
P.O. Box 47838 -- Olympia, WA 98504-7838
(360) 236-3455